

Mat 1160 WEEK 5

Dr. N. Van Cleave

Spring 2010

N. Van Cleave, ©2010

Student Responsibilities – Week 5

► Reading:

This week: Textbook, Sections 2.3 & 2.4

Next week: Textbook, Sections 2.5

► Summarize Sections & Work through Examples

► Attendance


► Recommended exercises:

- Section 2.3: all 1 - 6, every other even 8 - 132
- Section 2.4: 2 - 30 (even)

N. Van Cleave, ©2010

Sec 2.3 Set Operations & Cartesian Products

- **Intersection** of sets: $A \cap B$ is the set of elements common to both: $A \cap B = \{x \mid x \in A \text{ and } x \in B\}$



- Find the intersections of the following sets:


$\{a, b, c\}$ and $\{b, f, g\}$ _____
 $\{a, b, c\}$ and $\{a, b, c\}$ _____
 $\{a, b, c\}$ and $\{a, b, z\}$ _____
 $\{a, b, c\}$ and $\{x, y, z\}$ _____
 $\{a, b, c\}$ and \emptyset _____

N. Van Cleave, ©2010

Disjoint Sets

- **Disjoint** sets: two sets which have no elements in common.

I.e., their intersection is empty: $A \cap B = \emptyset$




- Are the following sets disjoint?

$\{a, b, c\}$ and $\{d, e, f, g\}$ _____
 $\{a, b, c\}$ and $\{a, b, c\}$ _____
 $\{a, b, c\}$ and $\{a, b, z\}$ _____
 $\{a, b, c\}$ and $\{x, y, z\}$ _____
 $\{a, b, c\}$ and \emptyset _____

N. Van Cleave, ©2010

Set Union

- **Union** of sets: $A \cup B$ is the set of elements belonging to either of the sets: $A \cup B = \{x \mid x \in A \text{ or } x \in B\}$



Note: an element in the union of sets A and B may be a member of A, a member of B, or a member of **both** sets.

- Find the unions of the following sets:


$\{a, b, c\}$ and $\{b, f, g\}$ _____
 $\{a, b, c\}$ and $\{a, b, c\}$ _____
 $\{a, b, c\}$ and $\{a, b, z\}$ _____
 $\{a, b, c\}$ and $\{x, y, z\}$ _____
 $\{a, b, c\}$ and \emptyset _____

N. Van Cleave, ©2010

Set Difference

- **Difference** of two sets: $A - B$ is the set of all elements **belonging** to set A and **not** to set B.

$$A - B = \{x \mid x \in A \text{ and } x \notin B\}$$



$$\{1, 2, 3, 4, 5\} - \{2, 4, 6\} = \{1, 3, 5\}$$

but $\{2, 4, 6\} - \{1, 2, 3, 4, 5\} = \{6\}$

Note: $x \notin B \rightarrow x \in B'$ (the complement of B)

$$\begin{aligned} \text{Thus, } A - B &= \{x \mid x \in A \text{ and } x \notin B\} \\ &= \{x \mid x \in A \text{ and } x \in B'\} \\ &= A \cap B' \end{aligned}$$

N. Van Cleave, ©2010

Given the sets:

$$U = \{1, 2, 3, 4, 5, 6, 9\}$$

$$A = \{1, 2, 3, 4\}$$

$$B = \{2, 4, 6\}$$

$$C = \{1, 3, 6, 9\}$$

Find each of these sets:

► $A \cup B =$

► $A \cap B =$

► $A \cap U =$

► $A \cup U =$

N. Van Cleave, ©2010

$$U = \{1, 2, 3, 4, 5, 6, 9\}$$

$$A = \{1, 2, 3, 4\}$$

$$B = \{2, 4, 6\}$$

$$C = \{1, 3, 6, 9\}$$

► $A' =$

► $A' \cap B =$

► $A' \cup B =$

► $A \cup B \cup C =$

► $A \cap B \cap C =$

N. Van Cleave, ©2010

Describe each of the following sets in words

► $A' \cup B' =$ the set of all elements not in set A or not in set B.

► $(A' \cup C) \cap B =$ the set of all elements in B that are either not in set A or are in set C.

► $A' \cap B' =$

► $A \cap (B \cup C) =$

N. Van Cleave, ©2010

Given the sets

$$U = \{1, 2, 3, 4, 5, 6, 7\}$$

$$A = \{1, 2, 3, 4, 5, 6\}$$

$$B = \{2, 3, 6\}$$

$$C = \{3, 5, 7\}$$

Find each set:

► $A - B =$

► $B - A =$

► $(A - B) \cup C' =$

Note, in general, $A - B \neq B - A$

N. Van Cleave, ©2010

Ordered Pairs

- **Ordered Pair:** a group of two objects designated as **first** and **second** components.

In the **ordered pair** (a, b) :

a is called the **first component**

b is called the **second component**

- In general $(a, b) \neq (b, a)$, and **order is important!**

- Two ordered pairs (a, b) and (c, d) are **equal** provided $a = c$ and $b = d$

$$(1, 3) = (1, 3) \quad (1, 3) \neq (3, 1)$$

$$(4, 9) = (4, 9) \quad (9, 4) \neq (4, 9)$$

$$(2+2, 3 \times 3) = (2 \times 2, 6+3)$$

- Sets can contain ordered pairs:

$$\{(-3, 3), (-12, -6), (13, 29), (8, 7)\}$$

$$\{(1, 3), (2, 6), (3, 9), \dots\}$$

N. Van Cleave, ©2010

Cartesian Products

The **Cartesian product** of sets A and B is:

$$A \times B = \{(a, b) \mid a \in A \text{ and } b \in B\}$$

The Cartesian product of $\{a, b, c\} \times \{1, 2\} =$

$$\{(a, 1), (a, 2), (b, 1), (b, 2), (c, 1), (c, 2)\}$$

The Cartesian product of $\{1, 2\} \times \{a, b, c\} =$

$$\{(1, a), (1, b), (1, c), (2, a), (2, b), (2, c)\}$$

What's the difference between the two resulting sets above?

If set $A = \{x, y, z\}$, what is $A \times A$?

N. Van Cleave, ©2010

Cardinality of Cartesian Products

If set A has cardinality 5 and set B has cardinality 4, what is the cardinality of:

$$A \times B?$$

$$B \times A?$$

If $|A| = n$ and $|B| = m$, what is $|A \times B|$?

N. Van Cleave, ©2010

Set Operations

- ▶ Finding intersections, unions, differences, Cartesian products, and complements of sets are examples of **set operations**
- ▶ An **operation** is a **rule** or **procedure** by which one or more objects are used to obtain another object (usually a set or number).


N. Van Cleave, ©2010

Common Set Operations

Let A and B be any sets, with U the universal set.

Complement of A is:

$$A' = \{x \mid x \in U \text{ and } x \notin A\}$$




N. Van Cleave, ©2010

Set Intersection and Union


- ▶ **Intersection** of A and B is:

$$A \cap B = \{x \mid x \in A \text{ and } x \in B\}$$



- ▶ **Union** of A and B is:

$$A \cup B = \{x \mid x \in A \text{ or } x \in B\}$$




N. Van Cleave, ©2010

Set Difference and Cartesian Product

- ▶ **Difference** of A and B is:

$$A - B = \{x \mid x \in A \text{ and } x \notin B\}$$



- ▶ The **Cartesian product** of A and B is:


$$A \times B = \{(x,y) \mid x \in A \text{ and } y \in B\}$$

N. Van Cleave, ©2010

Complete the Venn Diagram to represent U , A , and B


Let $U = \{q, r, s, t, u, v, w, x, y, z\}$

$A = \{r, s, t, i, v\}$ $B = \{t, v, x\}$




N. Van Cleave, ©2010

- Shade the Diagram for: $A \cap B$




- Shade the Diagram for: $(A' \cap B') \cap C$




N. Van Cleave, ©2010

- Shade the Diagram for: $(A \cap B)'$



- Shade the Diagram for: $A' \cup B'$



Did we get these last two correct? They look the same!

N. Van Cleave, ©2010



De Morgan's Laws

De Morgan's Laws. For any sets A and B

- $(A \cap B)' = A' \cup B'$
- $(A \cup B)' = A' \cap B'$

N. Van Cleave, ©2010

Using A, B, C, \cap , \cup , $-$, and $'$, give a symbolic description of the shaded area in each of the following diagrams. Is there more than one way to describe each?




N. Van Cleave, ©2010

Sec 2.4 Cardinal Numbers & Surveys

Cardinal Number Formula

For any two sets A and B:


$$n(A \cup B) = n(A) + n(B) - n(A \cap B)$$



I.e., the number of elements in the union of two sets is the sum of the number of elements in each of the sets minus the number of elements in their intersection.

N. Van Cleave, ©2010

Example I



Find the cardinality of the sets:


$A \cap B \cap C$	___	$A \cap B \cap C'$	___
$A \cap B' \cap C$	___	$A' \cap B \cap C$	___
$A' \cap B' \cap C$	___	$A \cap B' \cap C'$	___
$A' \cap B \cap C'$	___	$A' \cap B' \cap C'$	___

N. Van Cleave, ©2010

Ex. 2 — Using Venn diagrams to display survey data

Kim is a fan of the music of Paul Simon and Art Garfunkel. In her collection of 22 CDs, she has the following:

- ▶ 5 on which both Simon and Garfunkel sing
- ▶ 8 total on which Simon sings
- ▶ 7 total on which Garfunkel sings
- ▶ 12 on which neither Simon nor Garfunkel sings



1. How many of her CDs feature only Paul Simon?
2. How many of her CDs feature only Art Garfunkel?
3. How many feature at least one of these two artists?

N. Van Cleave, ©2010

Ex. 3 — Love, Prison, and Trucks


It was once said that Country–Western songs emphasize three basic themes: love, prison, and trucks. A survey of the local Country–Western radio station produced the following data of songs about:

- ▶ 12 truck drivers in love while in prison
- ▶ 13 prisoners in love
- ▶ 28 people in love
- ▶ 18 truck drivers in love
- ▶ 3 truck drivers in prison who are not in love
- ▶ 2 prisoners not in love and not driving trucks
- ▶ 8 people who are out of prison, are not in love, and do not drive trucks
- ▶ 16 truck drivers who are not in prison

N. Van Cleave, ©2010

Number	L / P / T	Set Expression
12	TLP	
13	LP	
28	L	
18	TL	
3	TP L'	
2	P L' T'	
8	P' L' T'	
16	T P'	

N. Van Cleave, ©2010



How many songs were...

1. Surveyed?
2. About truck drivers?
3. About prisoners?
4. About truck drivers in prison?
5. About people not in prison?
6. About people not in love?

N. Van Cleave, ©2010


Ex. 4 — The Peter Principle

Jim Donahue was a section chief for an electric utility company. The employees in his section cut down tall trees (T), climbed poles (P), and spliced wire (W). Donahue submitted the following report to the his manager:

$$\begin{array}{ll}
 n(T) = 45 & n(P \cap W) = 20 \\
 n(P) = 50 & n(T \cap W) = 25 \\
 n(W) = 57 & n(T \cap P \cap W) = 11 \\
 n(T \cap P) = 28 & n(T' \cap P' \cap W') = 9
 \end{array}$$

Donahue also stated that 100 employees were included in the report. Why did management reassign him to a new section?

N. Van Cleave, ©2010




N. Van Cleave, ©2010

Ex. 5 — Round II

Jim Donahue was reassigned to the home economics department of the electric utility company. he interviewed 140 people in a suburban shopping center to find out some of their cooking habits. He obtained the following results. There is a job opening in the antarctic. Should he be reassigned yet again?

- ▶ 58 use microwave ovens
- ▶ 63 use electric ranges
- ▶ 58 use gas ranges
- ▶ 19 use microwave ovens and electric ranges
- ▶ 17 use microwave ovens and gas ranges
- ▶ 4 use both gas and electric ranges
- ▶ 1 uses all three
- ▶ 2 cook only with solar energy

N. Van Cleave, ©2010



N. Van Cleave, ©2010


Ex. 6 — Student Values

Julie Ward, who sells college textbooks, interviewed freshmen on a community college campus to determine what is important to today's students. She found that **Wealth**, **Family**, and **Expertise** topped the list. Her findings can be summarized as:

$$\begin{array}{ll} n(W) = 160 & n(E \cap F) = 90 \\ n(F) = 140 & n(W \cap F \cap E) = 80 \\ n(E) = 130 & n(E') = 95 \\ n(W \cap F) = 95 & n[(W \cup F \cup E)'] = 10 \end{array}$$

How many students were interviewed?

N. Van Cleave, ©2010



N. Van Cleave, ©2010